



# SAFETY DATA SHEET

## 1. Identification

<b>Product identifier</b>	<b>LPS® ZeroTri® (Aerosol)</b>
<b>Other means of identification</b>	
<b>Part Number</b>	03520
<b>Recommended use of the chemical and restrictions on use</b>	
<b>Recommended use</b>	An industrial degreaser designed to remove oil, grease, wax, moisture, dirt or other contaminants from parts and equipments.
<b>Restrictions on use</b>	Not available.
<b>Details of manufacturer or importer</b>	
<b>Manufacturer</b>	
<b>Supplier Name</b>	MRO Chem Pty Ltd.
<b>Address</b>	Level 19, 644 Chapel Street South Yarra, Victoria 3141, Australia Tel: +03 9823 6273
<b>In Case of Emergency</b>	+04 3448 1129
<b>Manufacturer</b>	
<b>Company name</b>	LPS Laboratories, a division of Illinois Tool Works, Inc.
<b>Address</b>	4647 Hugh Howell Rd., Tucker, GA 30084 (U.S.A.)
<b>Website</b>	<a href="http://www.lpslabs.com">http://www.lpslabs.com</a>
<b>E-mail</b>	sds@lpslabs.com

## 2. Hazard(s) identification

### Classification of the hazardous chemical

<b>Physical hazards</b>	Flammable aerosols	Category 1
	Gases under pressure	Compressed gas
<b>Health hazards</b>	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

### Label elements, including precautionary statements

#### Hazard symbol(s)



Flame      Gas cylinder      Health hazard      Exclamation mark      Environment

#### Signal word

Danger

#### Hazard statement(s)

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Precautionary statement(s)

##### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.

<b>Response</b>	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Collect spillage.
<b>Storage</b>	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Other hazards which do not result in classification</b>	None known.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Acetone	67-64-1	30 - 40
Heptane	142-82-5	30 - 40
Cyclohexylmethane	108-87-2	20 - 30
Carbon Dioxide	124-38-9	1 - 5
Primary Amyl Acetate	628-63-7	1 - 5

### 4. First-aid measures

#### Description of necessary first aid measures

<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Skin contact</b>	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.
<b>Personal protection for first-aid responders</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
<b>Symptoms caused by exposure</b>	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
<b>Medical attention and special treatment</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

### 5. Fire-fighting measures

#### Extinguishing media

<b>Suitable extinguishing media</b>	Powder. Alcohol resistant foam. Water. Water spray. Dry chemicals. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical** Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Special protective equipment and precautions for fire fighters** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

<b>Fire fighting equipment/instructions</b>	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up.
<b>Hazchem code</b>	2Y E
<b>General fire hazards</b>	Extremely flammable aerosol.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>For emergency responders</b>	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.

**Environmental precautions** Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

**Methods and materials for containment and cleaning up** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

**Precautions for safe handling** Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Keep away from heat and sources of ignition. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

## 8. Exposure controls and personal protection

**Control parameters** Follow standard monitoring procedures.

### Occupational exposure limits

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	2375 mg/m <sup>3</sup>
		1000 ppm
	TWA	1185 mg/m <sup>3</sup>
Carbon Dioxide (CAS 124-38-9)		500 ppm
	STEL	54000 mg/m <sup>3</sup>
	TWA	30000 ppm
		22500 mg/m <sup>3</sup>

**Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)**

Components	Type	Value
Cyclohexylmethane (CAS 108-87-2)	TWA	12500 ppm
		1610 mg/m <sup>3</sup>
Heptane (CAS 142-82-5)	STEL	400 ppm
		2050 mg/m <sup>3</sup>
		500 ppm
Primary Amyl Acetate (CAS 628-63-7)	TWA	1640 mg/m <sup>3</sup>
		400 ppm
		541 mg/m <sup>3</sup>
	STEL	100 ppm
		270 mg/m <sup>3</sup>
		50 ppm

**Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)**

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	2375 mg/m <sup>3</sup>
		1000 ppm
		1185 mg/m <sup>3</sup>
Carbon Dioxide (CAS 124-38-9)	TWA	500 ppm
		54000 mg/m <sup>3</sup>
		30000 ppm
Cyclohexylmethane (CAS 108-87-2)	TWA	22500 mg/m <sup>3</sup>
		12500 ppm
		1610 mg/m <sup>3</sup>
Heptane (CAS 142-82-5)	STEL	400 ppm
		2050 mg/m <sup>3</sup>
		500 ppm
Primary Amyl Acetate (CAS 628-63-7)	TWA	1640 mg/m <sup>3</sup>
		400 ppm
		541 mg/m <sup>3</sup>
	STEL	100 ppm
		270 mg/m <sup>3</sup>
		50 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	750 ppm
		500 ppm
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
		5000 ppm
Cyclohexylmethane (CAS 108-87-2)	TWA	400 ppm
		500 ppm
Heptane (CAS 142-82-5)	STEL	400 ppm
		100 ppm
Primary Amyl Acetate (CAS 628-63-7)	TWA	50 ppm
		50 ppm

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	3620 mg/m <sup>3</sup>
		1500 ppm
		1210 mg/m <sup>3</sup>
	TWA	

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value
Carbon Dioxide (CAS 124-38-9)	STEL	500 ppm 27400 mg/m <sup>3</sup>
	TWA	15000 ppm 9150 mg/m <sup>3</sup> 5000 ppm
Heptane (CAS 142-82-5)	TWA	2085 mg/m <sup>3</sup> 500 ppm

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value
Acetone (CAS 67-64-1)	TWA	1200 mg/m <sup>3</sup> 500 ppm
Carbon Dioxide (CAS 124-38-9)	TWA	9100 mg/m <sup>3</sup> 5000 ppm
Cyclohexylmethane (CAS 108-87-2)	TWA	810 mg/m <sup>3</sup> 200 ppm
Heptane (CAS 142-82-5)	TWA	2100 mg/m <sup>3</sup> 500 ppm
Primary Amyl Acetate (CAS 628-63-7)	TWA	270 mg/m <sup>3</sup> 50 ppm

**Biological limit values****Germany. TRGS 903, BAT List (Biological Limit Values)**

Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	80 mg/l	Aceton	Urine	*

\* - For sampling details, please see the source document.

**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, for example personal protective equipment (PPE)**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection** Chemical resistant gloves are recommended.

**Other** Avoid contact with the skin. Wear appropriate chemical resistant clothing.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards** Not applicable.

**Hygiene measures**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties**

<b>Appearance</b>	Liquid.
<b>Physical state</b>	Gas.
<b>Form</b>	Aerosol.
<b>Color</b>	Clear, Colorless.

<b>Odor</b>	Ether-like. Fruity.
<b>Odor threshold</b>	Not established
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	Not established
<b>Initial boiling point and boiling range</b>	> 132.8 °F (> 56 °C)
<b>Flash point</b>	1.4 °F (-17.0 °C) Tag Closed Cup
<b>Evaporation rate</b>	> 1 (BuAc = 1)
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	1.2 %
<b>Flammability limit - upper (%)</b>	12.8 %
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	> 75 mm Hg @ 20°C
<b>Vapor density</b>	~ 3 (air = 1)
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	35 % w/w
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not established
<b>Decomposition temperature</b>	Not established
<b>Viscosity</b>	Not established
<b>Other physical and chemical parameters</b>	
<b>Heat of combustion</b>	> 30 kJ/g
<b>Percent volatile</b>	100 %
<b>Specific gravity</b>	0.74 - 0.76 @ 20°C
<b>VOC (Weight %)</b>	62.4 % per U.S. State and Federal Consumer Product Regulations

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Carbon oxides.

## 11. Toxicological information

### Information on possible routes of exposure

<b>Ingestion</b>	May be fatal if swallowed and enters airways.
<b>Inhalation</b>	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Symptoms related to exposure</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Exposure may cause temporary irritation, redness, or discomfort. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Decrease in motor functions. Behavioral changes.

**Acute toxicity**

May be fatal if swallowed and enters airways. Narcotic effects.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Acetone (CAS 67-64-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 15800 mg/kg 20 ml/kg
<i>Inhalation</i>		
LC50	Rat	55700 ppm 76 mg/l, 4 Hours 50.1 mg/l 50.1 mg/l, 8 Hours
<i>Oral</i>		
LD50	Mouse	3000 mg/kg
	Rabbit	5340 mg/kg
	Rat	5800 mg/kg 2.2 ml/kg
<i>Other</i>		
LD50	Mouse	1297 mg/kg
	Rat	5500 mg/kg
Cyclohexylmethane (CAS 108-87-2)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	>= 4 ml/kg
<i>Inhalation</i>		
LC25	Rabbit	7300 mg/l
LC50	Rat	16 mg/l
<i>Oral</i>		
LD50	Rat	> 8 ml/kg
Heptane (CAS 142-82-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 29.29 mg/l 103 mg/l, 4 Hours
LD50	Mouse	75 mg/l, 2 Hours
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
<i>Other</i>		
LD50	Mouse	222 mg/kg
<b>Skin corrosion/irritation</b>	Causes skin irritation.	
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	

**ACGIH Carcinogens**

Acetone (CAS 67-64-1)

A4 Not classifiable as a human carcinogen.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.**Specific target organ toxicity - single exposure** Narcotic effects.**Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** May be fatal if swallowed and enters airways.**Chronic effects** Prolonged inhalation may be harmful.**12. Ecological information****Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components	Species		Test Results
Acetone (CAS 67-64-1)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea ( <i>Daphnia magna</i> )	10294 - 17704 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> )	4740 - 6330 mg/l, 96 hours
Cyclohexylmethane (CAS 108-87-2)			
<b>Aquatic</b>			
Fish	LC50	Striped bass ( <i>Morone saxatilis</i> )	5.8 mg/l, 96 hours
Heptane (CAS 142-82-5)			
<b>Aquatic</b>			
Fish	LC50	Mozambique tilapia ( <i>Tilapia mossambica</i> )	375 mg/l, 96 hours
Primary Amyl Acetate (CAS 628-63-7)			
<b>Aquatic</b>			
Fish	LC50	Western mosquitofish ( <i>Gambusia affinis</i> )	65 mg/l, 96 hours
<b>Persistence and degradability</b>	Expected to biodegrade.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Partition coefficient n-octanol / water (log Kow)</b>			
Acetone		-0.24	
Cyclohexylmethane		3.61	
Heptane		4.66	
Primary Amyl Acetate		2.3	
<b>Mobility in soil</b>	The product is immiscible with water and will spread on the water surface.		
<b>Other adverse effects</b>	None known.		

**13. Disposal considerations****Disposal methods** Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.**14. Transport information****ADG**

**UN number** 1950  
**UN proper shipping name** AEROSOLS, Flammable (Heptane)




**Transport hazard class(es)****Class** 2.1**Subsidiary risk** -**Packing group** Not applicable.**Environmental hazards** Yes**Hazchem code** 2YE**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**RID****UN number** 1950**UN proper shipping name** AEROSOLS, flammable (Heptane)**Transport hazard class(es)****Class** 2.1**Subsidiary risk** -**Label(s)** 2.1**Packing group** Not applicable.**Environmental hazards** Yes**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**IATA****UN number** 1950**UN proper shipping name** Aerosols, flammable (Heptane)**Transport hazard class(es)****Class** 2.1**Subsidiary risk** -**Packing group** Not applicable.**Environmental hazards** Yes**ERG Code** 10L**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**Other information****Passenger and cargo aircraft** Allowed.**Cargo aircraft only** Allowed.**IMDG****UN number** 1950**UN proper shipping name** AEROSOLS, Flammable (Heptane), MARINE POLLUTANT**Transport hazard class(es)****Class** 2.1**Subsidiary risk** -**Label(s)** 2.1**Packing group** Not applicable.**Environmental hazards****Marine pollutant** Yes**EmS** F-D, S-U**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.**ADG**

IATA; IMDG; RID



Marine pollutant



## 15. Regulatory information

### Safety, health and environmental regulations

#### National regulations

This Material Safety Data Sheet was prepared in accordance with the Australia National Code of Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

#### Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix B

Primary Amyl Acetate (CAS 628-63-7)

#### Australia Medicines & Poisons Appendix C

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix E

Acetone (CAS 67-64-1)

#### Australia Medicines & Poisons Appendix F

Acetone (CAS 67-64-1)

#### Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 5

Acetone (CAS 67-64-1)

Low toxicity. General: Any use

For advice, contact a Poisons information Centre (Phone eg Australia 131 - 126; New Zealand 03 - 4747 - 000) or a doctor (at once)., If swallowed, do NOT induce vomiting.

in concentrations Avoid contact with eyes., Avoid contact with skin., Avoid breathing dust (or) vapour (or) spray mist.

Exception was applied to data.

**Australia Medicines & Poisons Schedule 6**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 7**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 8**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 9**

Poisons schedule number not allocated.

**Australia National Pollutant Inventory (NPI): Threshold quantity**

Acetone (CAS 67-64-1) 10 tonnes/yr Threshold Category: 1

**High Volume Industrial Chemicals (HVIC)**

Acetone (CAS 67-64-1) 10000 - 99999 tonnes See the regulation for additional information.

Carbon Dioxide (CAS 124-38-9) 10000 - 99999 tonnes See the regulation for additional information.

Heptane (CAS 142-82-5) 10000 - 99999 tonnes See the regulation for additional information.

**Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)**

Not listed.

**National Pollutant Inventory (NPI) substance reporting list**

Not listed.

**Prohibited Carcinogenic Substances**

Not regulated.

**Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)**

Not listed.

**Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)**

Not listed.

**Restricted Carcinogenic Substances**

Not regulated.

**International regulations****Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Carbon Dioxide (CAS 124-38-9) Listed.

**Montreal Protocol**

Not applicable.

**Basel Convention**

Not applicable.

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

**Issue date** 08-20-2014

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.