



**MATERIAL SAFETY DATA SHEET**  
**LPS® Strong Steel Sticks**

Revision Date: 31st March 2014

---

**Section 1 • Product and Company Identification**

---

**Product Name :** LPS® Strong Steel Sticks

**Part Number(s) :** 60159, C60159

**Chemical Name :** Filled Epoxy Resin

**Product Use :** A "ready-to-mix", fast curing, high strength adhesive epoxy putty for emergency repairs of cracks and rebuilding of surfaces on metal, concrete, wood, fiberglass and ceramics.

**Australia Supplier Information :**

**MRO Chem Pty Ltd**

**ADDRESS :** Level 19, 644 Chapel Street,  
South Yarra, Vic 3141, Australia.

**TEL :** +61 (3) 9823 6273

**WEBSITE :** <http://www.mrochem.com.au>

Emergency Telephone Number:  
(AUSTRALIA) : +61 (4) 3448 1129

**Manufacturer Information :**

**LPS Laboratories, a division of Illinois Tool Works**

**ADDRESS :** 4647 Hugh Howell Rd  
Tucker, GA 30084 United States

**TEL:** +1 770 243-8800

**FAX:** +1 770 243-8899

**EMAIL:** [sds@lpslabs.com](mailto:sds@lpslabs.com)

**WEBSITE :** [www.lpslabs.com](http://www.lpslabs.com)

Emergency Telephone Number:  
(US) : +1 703 527-3887



# MATERIAL SAFETY DATA SHEET

## LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

---

### Section 1 • Product and Company Identification

---

**Product Name:** LPS® Strong Steel Sticks

**Part Number(s):** 60159, C60159

**Chemical Name:** Filled Epoxy Resin

**Product Use:** A "ready-to-mix", fast curing, high strength adhesive epoxy putty for emergency repairs of cracks and rebuilding of surfaces on metal, concrete, wood, fiberglass and ceramics.

**Manufacturer Information:** LPS Laboratories, 4647 Hugh Howell Road, Tucker, GA, USA 30084  
**TEL:** USA & Canada: 1 800 241-8334  
Outside USA and Canada: +1 770 243-8800  
**FAX:** USA & Canada: 1 800 543-1563  
Outside USA and Canada: +1 770 243-8899

**Emergency Telephone Number:** Chemtrec: USA & Canada: 1 800 424-9300  
Outside USA and Canada: +1 703 527-3887

**Website:** <http://www.lpslabs.com>

---

### Section 2 • Hazards Identification

---

*This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.*

#### Emergency Overview:

**Aerosol:** Not applicable

**Bulk:** CAUTION: Irritating to eyes and skin.

**Primary route(s) of entry:** Skin and eye contact.

#### Potential Acute Health Effects:

**Eyes:** Irritating to eyes.

**Skin:** Prolonged or repeated skin contact can cause defatting and drying of the skin. Possibly a skin sensitizer.

**Inhalation:** Not a likely route of exposure.

**Ingestion:** Product has a low order of acute oral toxicity, but ingestion may cause a gastrointestinal irritation.

#### Potential Chronic Health Effects:

**Carcinogenic Effects:** NTP: No IARC: No OSHA: No ACGIH: No

**Mutagenic Effects:** None

**Teratogenic Effects:** None

**Target Organs:** None



# MATERIAL SAFETY DATA SHEET

## LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

**Medical conditions aggravated by exposure:**  
Dermatitis and eczema.

### Signs and Symptoms

Stinging, tearing, redness and swelling of eyes. Repeated or prolonged skin contact can cause redness, irritation, skin dryness or cracking. Ingestion of this material may cause coughing and irritation.

---

### Section 3 • Composition / Information on Ingredients

---

Component	CASRN	Weight Percent
Epoxy Resin	25068-38-6 / 25036-25-3	10 - 25%
2,4,6-tris (dimethylaminomethyl)phenol	90-72-2	0.5 - 1.5%

---

### Section 4 • First Aid Measures

---

<b>Eyes:</b>	Check for and remove contact lenses. Immediately, flush eyes with cool, clean, low-pressure water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. DO NOT use eye ointment. Seek medical attention if irritation persists.
<b>Skin:</b>	Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical attention if irritation persists.
<b>Inhalation:</b>	Not applicable.
<b>Ingestion:</b>	DO NOT induce vomiting unless directed to do so by medical personnel. If conscious, give 2 to 3 glasses of water. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.

---

### Section 5 • Fire Fighting Measures

---

<b>Products of Combustion:</b>	Carbon monoxide, carbon dioxide, aldehydes, acids, oxides of nitrogen and sulphur.		
<b>General Fire Hazards:</b>	None		
<b>Firefighting media:</b>	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use CO2, water spray, fog or foam. Firefighting personal are required to use respiratory and eye protection.		
<b>Sensitivity to Impact:</b>	None	<b>Sensitivity to Static Discharge:</b>	None
<b>Protection Clothing (Fire):</b>	Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.		
<b>Special Remarks on Explosion Hazards:</b>	None		



MATERIAL SAFETY DATA SHEET  
LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

**Section 6 • Accidental Release Measures**

- Containment Procedures:**
- Small Spill and Leak:** Scrape up as much material as possible. Place in a closed container until ready to dispose.
- Large Spill and Leak:** Scrape up as much material as possible. Place in a closed container until ready to dispose.
- Clean-Up Procedures:** Recover free product and place in a suitable container for disposal.
- Evacuation Procedures:** Keep unnecessary and unprotected people away.
- Special Procedures:** Wear appropriate protective equipment during cleanup.

**Section 7 • Handling and Storage**

- Handling:** Wash thoroughly after handling.
- Storage:** Keep in original container at ambient temperatures.

**Precautions to be taken in handling and storage:**  
Store all materials in a dry, well-ventilated area.

**Section 8 • Exposure Controls / Personal Protection**

**Exposure Guidelines:**

Component	CASRN	OSHA	ACGIH	NIOSH	Supplier
Epoxy Resin	25068-38-6 / 25036-25-3	10 mg/m3 (respirable dust) PEL	0.025 mg/m3 (respirable dust) TLV	0.05 mg/m3 (respirable dust) TWA	None reported
2,4,6-tris (dimethylaminomethyl)phenol	90-72-2	Not established	Not established	Not established	None reported

**Engineering Controls:** Normal room ventilation is usually adequate. If necessary, provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines above.

**Personal protective equipment**

- Eye protection:** If machining the cured product, it is recommended to wear dust-proof goggles.
- Hand protection:** Use chemically resistant protective gloves conforming to appropriate regulations. Please observe the instructions regarding permeability and breakthrough time that are provided by the supplier of the gloves.
- Respiratory protection:** Typical use of this product under normal conditions does not require the use of respiratory protection.
- General Hygiene Considerations:** Wash thoroughly after handling. Have eye-wash facilities immediately available.



MATERIAL SAFETY DATA SHEET  
LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

---

**Section 9 • Physical and Chemical Properties**

---

<b>Appearance:</b>	Putty stick	<b>Color:</b>	Gray
<b>Odor:</b>	Sulphur	<b>Evaporation Rate:</b>	None
<b>Solubility Description:</b>	Not soluble in water	<b>Flash Point:</b>	Not applicable
<b>Boiling Point:</b>	Not applicable	<b>Flash Point Method:</b>	Tag-Closed Cup
<b>Specific Gravity (H<sub>2</sub>O=1):</b>	2.20 - 2.25 @ 20°C	<b>Decomposition Temperature:</b>	Not established
<b>Vapor Density (air = 1):</b>	Nil	<b>Auto ignition temperature:</b>	Not established
<b>Vapor Pressure:</b>	Nil	<b>Flammable limits (estimated):</b>	LOWER: Not available UPPER: Not available
<b>Rule 1171 PPc:</b>	Not applicable	<b>Partition Coefficient (octanol/water):</b>	Not applicable
<b>V.O.C. Content:</b>	Aerosol: Not applicable Bulk: Not applicable	<b>Odor Threshold:</b>	Not established
<b>Melting Point:</b>	Not established	<b>Viscosity:</b>	Not applicable
<b>pH:</b>	Not applicable	<b>Volatiles:</b>	< 1%
<b>Heat of combustion:</b>	Aerosol: Not applicable Bulk: Not established		

---

**Section 10 • Stability and Reactivity**

---

<b>Chemical Stability:</b>	Product is stable under recommended storage conditions.
<b>Conditions to Avoid:</b>	Keep away from open flames, hot surfaces and ignition sources.
<b>Incompatibility:</b>	None under typical use circumstances.
<b>Hazardous Decomposition:</b>	These products are carbon oxides (CO, CO <sub>2</sub> ), aldehydes, acids, oxides of sulphur and nitrogen.
<b>Hazardous Polymerization:</b>	Will not occur.



MATERIAL SAFETY DATA SHEET  
LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

**Section 11 • Toxicological Information**

**Acute and Chronic Toxicity**

**A: General Product Information**

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this preparation.

**B: Component Analysis**

Component	CASRN	LC-50	LD-50
Epoxy Resin	25068-38-6 / 25036-25-3	Not established	11,400 mg/kg / oral / rat*
			20,000 mg/kg / dermal / rabbit
2,4,6-tris (dimethylaminomethyl)phenol	90-72-2	Not established	1000 mg/kg / oral / rat*
			1280 mg/kg / dermal / rat*

\* Supplier Data

**Section 12 • Ecological Information**

**Mobility:** Unknown. **Persistence / Degradability:** Not readily biodegradable

**Bioaccumulative potential:** Unknown. **Other adverse effects:** Not established

Ecological studies have not been conducted for this product. The following information is available for component(s) of this product.

**Section 13 • Disposal Considerations**

**Waste Status:** In its purchased form, this material does not meet the definition of a RCRA hazardous waste (40 CFR 261).

**Disposal:** Waste must be disposed of in accordance with any and all applicable environmental control rules and/or regulations.

**Note:** Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.

**Section 14 • Transport Information**

**This product is not regulated by any mode of transportation.**

The preceding information is subject to change and must be verified prior to shipment. It is the responsibility of anyone offering hazardous materials for shipment to ensure compliance with all applicable regulations.



MATERIAL SAFETY DATA SHEET
LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

Section 15 • Regulatory Information

U.S. Federal Regulations

RCRA Hazardous Waste No.: None

Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA): None

Toxic Substances Control Act (TSCA): All components of this product are TSCA inventory listed and/or are exempt.

Superfund Amendments and Reauthorization Act (SARA) Title III SARA Section 311/312 (40 CFR 370) Hazard Categories: None

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372): No individual section 313 component is present at or above 1%.

Section 112 Hazardous Air Pollutants (HAPs): None

State Regulations

California: This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm.

California and OTC States: This product is not regulated by consumer product regulations.

New Jersey Right to Know:

Aerosol: Not applicable
Bulk: Magnesium Silicate Hydrate 14807-96-6 • Polyether Polymercaptan NJTS 800938-5952 • Iron / Silicon / Titanium Alloy 7439-89-6 • Sodium Calcium Magnesium Silicate 65997-17-3 • Nypheleine Syenite 17244-96-5

International Regulations

Canadian Environmental Protection Act (CEPA): All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System WHMIS: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification:
Bulk: Class D2B
[Warning symbol: exclamation mark in a triangle]

Other Regulations:
Montreal Protocol listed ingredients: None
Stockholm Convention listed ingredients: None
Rotterdam Convention listed ingredients: None
RoHS Compliant: Yes




MATERIAL SAFETY DATA SHEET  
LPS® Strong Steel Sticks

Revision Date: October 14, 2011

Supersedes: October 21, 2008

Section 16 • Other Information

MSDS#: 60159 MSDS Preparation Responsible Name: Elena Badiuzzi Compliance Manager Telephone: +1 770 243-8800	<b>HMIS 1996</b>		<b>HMIS III</b>		<b>NFPA</b> Flammability  Health      Reactivity Special
	Health:	1	Health:	[/] 1	
	Flammability:	0	Flammability Aerosol:	NA	
			Flammability Bulk:	0	
		Reactivity:	0	Physical Hazard Aerosol:	NA
				Physical Hazard Bulk:	0

**Notice to Reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Elena Badiuzzi, Compliance Manager  
LPS Laboratories, a division of Illinois Tool Works