

# LPS<sup>®</sup> ELECTRO 140<sup>°</sup>

## CONTACT CLEANER



Conforms to:

Bombardier (Canadair) CMS 570-01

Learjet LES 1239

McDonnell Douglas CSD #1

### PACKAGES

Net Fill

11 oz. (312 grams) aerosol

Part No.

00916



### FEATURES

- Flash point above 140°F (60°C)
- Superior wetting and penetrating action
- Controlled evaporation
- No residue
- Non-conductive
- Safe to use on most surfaces
- Ideal for parts washer, diptanks and ultrasonic cleaning tank
- Inverta Spray Valve

### APPLICATIONS

- Coin Counters & Chutes
- Relays and Controls
- Connectors
- Semiconductor Assemblies
- Contacts
- Switches
- Fluid Systems
- Telephone Equipment
- Office Equipment
- Printed Circuits

### PROPERTIES

Appearance/Physical State:

Clear liquid

Dielectric Strength  
(ASTM D-877):

15.14 kV

Flash Point (TCC):

144°F (62°C)

HMIS:

1, 2, 0

Surface Tension:

25.9 dynes/cm @ 77°F (25°C)

Propellant:

CO<sub>2</sub>

Specific Gravity:

0.79

MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST OR VISIT OUR WEB SITE: [WWW.LPSLABS.COM](http://WWW.LPSLABS.COM)

**LPS Laboratories** • An Illinois Tool Works Company

4647 Hugh Howell Road • Tucker, GA 30084 • TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899

**Internet Web Site: [www.lpslabs.com](http://www.lpslabs.com)**

©2012 LPS Laboratories • LPS<sup>®</sup> is a registered trademark of Illinois Tool Works • Printed in U.S.A. • All Rights Reserved • Form #2086 • Rev. 5/2012